

ARMSTRONG

Replacement Parts



| | |
|-------------|---------------|
| FILE NO: | 6010.202 |
| DATE: | Feb. 23, 2004 |
| SUPERSEDES: | 6010.202 |
| DATE: | Dec. 1, 2003 |

CIRCULATOR PARTS CHART

INDEX

| PART DESCRIPTION | PAGE |
|--------------------------------------|----------------------|
| BEARING ASSEMBLY | 2 |
| BEARING CAP ASSEMBLY | 2 |
| BODIES | 2 & 3 |
| BODY GASKET | 3 |
| COUPLER ASSEMBLY | 3 |
| FLANGE | 4 |
| IMPELLER | 4,5,6 & 7 |
| MECHANICAL SEAL ASSEMBLY KITS | 7 |
| MOUNTED MOTOR ASSEMBLY | 8 |
| SHAFT AND BEARING MODULE | 8 |

BEARING ASSEMBLY

| WITH MECHANICAL SEAL KIT ONLY | |
|---|-------------|
| SIZE AND/OR USED ON | PART NUMBER |
| H32 & S35 Std., B.F. & A.B. | 816549-091 |
| H41, S45 & S46 - Std., B.F. & A.B. | 816027-002 |
| S55, S57, H51, H52, H53, H54, 1050 1B, 1 1/4B, 1 1/2B & 2B - Std., B.F. & A.B | 816032-000 |
| WITH MECHANICAL SEAL KIT & IMPELLER | |
| SIZE AND/OR USED ON | PART NUMBER |
| S25 Std.,B.F.& A.B. | 810119-001 |
| H32 & S35 Std., B.F. & A.B. | 810119-003 |
| LESS MECHANICAL SEAL | |
| SIZE AND/OR USED ON | PART NUMBER |
| S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - Std., B.F. & A.B. | 816366-041 |
| S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - A.I. | 816366-071 |
| WITH MECHANICAL SEAL KIT & COVER PLATE | |
| SIZE AND/OR USED ON | PART NUMBER |
| S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - Std.& B.F. | 816861-011 |
| S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - A.B. | 816861-041 |
| S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - A.I. | 816861-071 |

BEARING CAP ASSEMBLY

| SIZE AND/OR USED ON | PART NUMBER |
|---|-------------|
| S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - Std., B.F. & A.B. | 874112-000 |

BODIES

| SIZE AND/OR USED ON | PART NUMBER |
|---|-------------|
| S55 & S57 - Cast Iron | 804133-011 |
| S55 & S57 - Bronze | 804133-041 |
| S25 - Cast Iron | 805482-011 |
| S25 - Bronze | 805482-041 |
| S45 & S46 - Cast Iron | 805484-011 |
| S45 & S46 - Bronze | 805484-041 |
| H41 - Cast Iron | 811240-011 |
| H41 - Bronze | 811240-041 |
| S35 - Cast Iron | 816327-011 |
| S35 - Bronze | 816327-041 |
| H51, H52 & H53,1050 1B,1 1/4B& 1 1/2B - Cast Iron | 816337-011 |
| H51, H52 & H53,1050 1B,1 1/4B& 1 1/2B - Bronze | 816337-041 |

BODIES - Continued

| | |
|---|------------|
| H54 & 1050 2B - Cast Iron | 816338-011 |
| H54 & 1050 2B - Bronze | 816338-041 |
| S34 & H32 - Cast Iron | 816402-011 |
| S34 & H32 - Bronze | 816402-041 |
| S69 Cast - Iron | 816339-011 |
| S69 - Bronze | 816339-041 |
| H63, H64, H65 & 1060 1/1/2D - Cast Iron | 816397-011 |
| H63, H64, H65 & 1060 1/1/2D - Bronze | 816397-041 |
| H66, H67, H68 & 1060 2D - Cast Iron | 816174-011 |
| H66, H67, H68 & 1060 2D - Bronze | 816174-041 |
| 1060 3D - Cast Iron | 816646-041 |
| 1060 3D - Bronze | 816646-011 |

BODY GASKET

| SIZE AND/OR USED ON | PART NUMBER |
|--|-------------|
| S25 Std., B.F. & A.B. | 104442-000 |
| H32 & S35 Std., B.F. & A.B. | 106049-000 |
| H41, S45 & S46 - Std., B.F. & A.B. | 106050-000 |
| S55, S57, H51, H52, H53, H54, 1050 1B, 1 1/4B, 1 1/2B & 2B - Std., B.F. & A.B. | 106158-000 |
| S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - Std., B.F. & A.B. | 106592-000 |

COUPLER ASSEMBLY

| SIZE AND/OR USED ON | PART NUMBER |
|---|-------------|
| S25, S34, S35, H32 & H41 - 1/2x1/2 - Four Spring Type - Counter Clockwise Rotation | 806026-002 |
| S45 & S46 - 1/2x1/2 - Four Spring Type - Counter Clockwise Rotation | 806168-001 |
| S55, S57, H53, H54, 1050 1 1/2 & 2B - 1/2x5/8 - Flexible Spacer Type - Clockwise Rotation | 806137-000 |
| SPECIAL MOTOR SHAFTS - 1/2x3/4 - Flexible Spacer Type | 806140-000 |
| H51, H52 1 Phase -1/2x1/2 - Flexible Spacer Type - Clockwise Rotation | 807436-000 |
| S69, H62, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - 5/8x5/8 - Flexible Spacer Type - Clockwise Rotation | 816665-000 |
| 1060 3D (3HP ONLY) - 5/8x5/8 - Flexible Spacer Type - Clockwise Rotation | 840482-000 |

FLANGE

| SIZE AND/OR USED ON | PART NUMBER |
|--|-------------|
| 1 1/4" NPT - H32 - Cast Iron | 104300-011 |
| 1 1/4" NPT - H32 - Bronze | 104300-041 |
| 1 1/2" NPT - H63, H64 & H65 - Cast Iron | 104301-011 |
| 1 1/2" NPT - H63, H64 & H65 - Bronze | 104301-041 |
| 3" NPT - S45, S46, S55 & S57 - Cast Iron | 105188-011 |
| 3" NPT - S45, S46, S55 & S57 - Bronze | 105188-041 |
| 2 1/2" NPT - S45 - Cast Iron | 105189-011 |
| 2 1/2" NPT - S45 - Bronze | 105189-041 |
| 2" NPT - S35 - Cast Iron | 105210-011 |
| 2" NPT - S35 - Bronze | 105210-041 |
| 1" NPT - H32 - Cast Iron | 106073-011 |
| 1" NPT - H32 - Bronze | 106073-041 |
| 2" NPT - H54, H66, H67 & H68 - Cast Iron | 106074-011 |
| 3" NPT - 1060 3D - (Bronze) | 106466-041 |
| 2" NPT - H54, H66, H67 & H68 - Bronze | 106074-041 |
| 1 1/2" NPT - H53 - Cast Iron | 116009-011 |
| 1 1/2" NPT - H53 - Bronze | 116009-041 |
| 1 1/4" NPT - S25 & H52 - Cast Iron | 116011-011 |
| 1 1/4" NPT - S25 & H52 - Bronze | 116011-041 |
| 1" NPT - S25, H41 & H51 - Cast Iron | 116012-011 |
| 1" NPT - S25, H41 & H51 - Bronze | 116012-041 |
| 3/4" NPT - S25 - Cast Iron | 116013-011 |
| 3" NPT - 1060 3D - (Cast Iron) | 933615-010 |
| 3/4" NPT S25 - Bronze | 116013-041 |

IMPELLER

| SIZE AND/OR USED ON | PART NUMBER |
|--|-------------|
| IMPELLER - S25 - Universal - NFI - 2 3/4" Dia. | 812961-111 |
| IMPELLER - S25 - High Temp. Standard Construction - Steel - 2 3/4" Dia. | 812961-011 |
| IMPELLER - S25 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 2 3/4" Dia. | 812961-041 |
| IMPELLER - S34, S35 & H32 - Universal - NFI - 3 3/8" Dia. | 816322-111 |
| IMPELLER - S34, S35 & H32 - High Temp. Standard Construction - Steel - 3 3/8" Dia. | 816322-011 |
| IMPELLER - S34, S35 & H32 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 3 3/8" Dia. | 816322-041 |

IMPELLER - Continued

| | |
|---|------------|
| IMPELLER - H41 - Universal - NFI - 4 1/4" Dia. | 116301-325 |
| IMPELLER - H41 - High Temp. Standard Construction - Steel - 4 1/4" Dia. | 816301-025 |
| IMPELLER - H41 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4 1/4" Dia. | 816301-055 |
| IMPELLER - S45 - Universal - NFI - 3 7/8" Dia. | 816305-328 |
| IMPELLER - S45 - High Temp. Standard Construction - Steel - 3 7/8" Dia. | 816305-028 |
| IMPELLER - S45 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 3 7/8" Dia. | 816305-058 |
| IMPELLER - S46 - Universal - NFI - 4 1/4" Dia. | 816305-325 |
| IMPELLER - S46 - High Temp. Standard Construction - Steel - 4 1/4" Dia. | 816305-025 |
| IMPELLER - S46 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4 1/4" Dia. | 816305-055 |
| IMPELLER - S55 - Universal - NFI - 4 3/4" Dia. | 816304-321 |
| IMPELLER - S55 - High Temp. Standard Construction - Steel - 4 3/4" Dia. | 816304-021 |
| IMPELLER - S55 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4 3/4" Dia. | 816304-051 |
| IMPELLER - S57 - Universal - NFI - 5 1/4" Dia. | 816304-317 |
| IMPELLER - S57 - High Temp. Standard Construction - Steel - 5 1/4" Dia. | 806304-017 |
| IMPELLER - S57 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 5 1/4" Dia. | 816304-047 |
| IMPELLER - H51 - Universal - NFI - 5" Dia. | 816302-319 |
| IMPELLER - H51 - High Temp. Standard Construction - Steel - 5" Dia. | 816302-019 |
| IMPELLER - H51 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 5" Dia. | 816302-049 |
| IMPELLER - H52 - Universal - NFI - 5 1/4" Dia. | 816302-317 |
| IMPELLER - H52 - High Temp. Standard Construction - Steel - 5 1/4" Dia. | 816302-017 |
| IMPELLER - H52 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 5 1/4" Dia. | 816302-047 |
| IMPELLER - H53 - Universal - NFI - 5 1/4" Dia. | 816303-317 |
| IMPELLER - H53 - High Temp. Standard Construction - Steel - 5 1/4" Dia. | 816303-017 |
| IMPELLER - H53 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 5 1/4" Dia. | 816303-047 |
| IMPELLER - H54 - Universal - NFI - 5 1/4" Dia. | 816304-317 |
| IMPELLER - H54 - High Temp. Standard Construction - Steel - 5 1/4" Dia. | 816304-017 |
| IMPELLER - H54 - High Temp. Bronze Fitted & All Bronze Construction - Brass - 5 1/4" Dia. | 816304-047 |
| IMPELLER - 1050 1B & 1 1/4B - Standard, Bronze Fitted & All Bronze Construction - NFI - 5 1/4" DIA. | 816302-317 |
| IMPELLER - 1050 1B & 1 1/4B - Standard, Bronze Fitted & All Bronze Construction - NFI - 4 3/4" DIA. | 816302-321 |
| IMPELLER - 1050 1B & 1 1/4B - Standard, Bronze Fitted & All Bronze Construction - NFI - 4 3/8" DIA | 816302-324 |
| IMPELLER - 1050 1B & 1 1/4B - Standard, Bronze Fitted & All Bronze Construction - NFI - 4" DIA. | 816302-327 |
| IMPELLER - 1050 1B & 1 1/4B - High Temp. Standard Construction - Steel - 5 1/4" DIA. | 816302-017 |
| IMPELLER - 1050 1B & 1 1/4B - High Temp. Standard Construction - Steel - 4 3/4" DIA. | 816302-021 |
| IMPELLER - 1050 1B & 1 1/4B - High Temp. Standard Construction - Steel - 4 3/8" DIA. | 816302-024 |
| IMPELLER - 1050 1B & 1 1/4B - High Temp. Standard Construction - Steel - 4" DIA. | 816302-027 |

IMPELLER - Continued

| | |
|--|------------|
| IMPELLER - 1050 1B & 1 1/4B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 5 1/4" Dia. | 816302-047 |
| IMPELLER - 1050 1B & 1 1/4B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4 3/4" Dia. | 816302-051 |
| IMPELLER - 1050 1B & 1 1/4B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4 3/8" Dia. | 816302-054 |
| IMPELLER - 1050 1B & 1 1/4B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4" Dia. | 816302-057 |
| IMPELLER - 1050 1 1/2B - Standard, Bronze Fitted & All Bronze Construction - NFI - 5 1/4" DIA. | 816303-317 |
| IMPELLER - 1050 1 1/2B - Standard, Bronze Fitted & All Bronze Construction - NFI - 4 3/4" DIA. | 816303-321 |
| IMPELLER - 1050 1 1/2B - Standard, Bronze Fitted & All Bronze Construction - NFI - 4 3/8" DIA. | 816303-324 |
| IMPELLER - 1050 1 1/2B - Standard, Bronze Fitted & All Bronze Construction - NFI - 4" DIA. | 816303-327 |
| IMPELLER - 1050 1 1/2B - High Temp. Standard Construction - Steel - 5 1/4" DIA. | 816303-017 |
| IMPELLER - 1050 1 1/2B - High Temp. Standard Construction - Steel - 4 3/4" DIA. | 816303-021 |
| IMPELLER - 1050 1 1/2B - High Temp. Standard Construction - Steel - 4 3/8" DIA. | 816303-024 |
| IMPELLER - 1050 1 1/2B - High Temp. Standard Construction - Steel - 4" DIA. | 816303-027 |
| IMPELLER - 1050 1 1/2B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 5 1/4" DIA. | 816303-047 |
| IMPELLER - 1050 1 1/2B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4 3/4" DIA. | 816303-051 |
| IMPELLER - 1050 1 1/2B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4 3/8" DIA. | 816303-054 |
| IMPELLER - 1050 1 1/2B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4" DIA. | 816303-057 |
| IMPELLER - 1050 2B - Standard, Bronze Fitted & All Bronze Construction - NFI - 5 1/4" DIA. | 816304-317 |
| IMPELLER - 1050 2B - Standard, Bronze Fitted & All Bronze Construction - NFI - 4 3/4" DIA. | 816304-321 |
| IMPELLER - 1050 2B - Standard, Bronze Fitted & All Bronze Construction - NFI - 4" DIA. | 816304-327 |
| IMPELLER - 1050 2B - High Temp. Standard Construction - Steel - 5 1/4" DIA. | 816304-017 |
| IMPELLER - 1050 2B - High Temp. Standard Construction - Steel - 4 3/4" DIA. | 816304-021 |
| IMPELLER - 1050 2B - High Temp. Standard Construction - Steel - 4" DIA. | 816304-027 |
| IMPELLER - 1050 2B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 5 1/4" DIA. | 816304-047 |
| IMPELLER - 1050 2B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4 3/4" DIA. | 816304-051 |
| IMPELLER - 1050 2B - High Temp. Bronze Fitted & All Bronze Construction - Brass - 4" DIA. | 816304-057 |
| IMPELLER - S69 - Standard Bronze Fitted & All Bronze Construction - Brass - 5 7/8" Dia. | 816308-042 |
| IMPELLER - S69 - All Iron Construction - Steel - 5 7/8" Dia. | 816308-012 |
| IMPELLER - H63 - Standard Bronze Fitted & All Bronze Construction - Brass - 5 3/4" Dia. | 874058-051 |
| IMPELLER - H63 - All Iron Construction - Steel - 5 3/4" - Dia. | 874058-021 |
| IMPELLER - H64 - Standard Bronze Fitted & All Bronze Construction - Brass - 6 1/2" Dia. | 874058-045 |
| IMPELLER - H64 - All Iron Construction - Steel - 6 1/2" Dia. | 874058-015 |
| IMPELLER - H65 - Standard Bronze Fitted & All Bronze Construction - Brass - 7" Dia. | 874058-041 |
| IMPELLER - H65 - All Iron Construction - Steel - 7" Dia. | 874058-011 |
| IMPELLER - H66 - Standard Bronze Fitted & All Bronze Construction - Brass - 5 5/8" | 816393-052 |
| IMPELLER - H66 - All Iron Construction - Steel - 5 5/8" | 816393-052 |
| IMPELLER - H67 - Standard Bronze Fitted & All Bronze Construction - Brass - 6 1/4" | 816393-047 |
| IMPELLER - H67 - All Iron Construction - Steel - 6 1/4" | 816393-017 |

IMPELLER - Continued

| | |
|---|------------|
| IMPELLER - H68 - Standard Bronze Fitted & All Bronze Construction - Brass - 6 3/4" | 816393-043 |
| IMPELLER - H68 - All Iron Construction - Steel - 6 3/4" | 816393-013 |
| IMPELLER - 1060 1 1/2D - Standard Bronze Fitted & All Bronze Construction - Brass - 7" Dia. | 874058-041 |
| IMPELLER - 1060 1 1/2D - Standard Bronze Fitted & All Bronze Construction - Brass - 6 1/2" Dia. | 874058-045 |
| IMPELLER - 1060 1 1/2D - Standard Bronze Fitted & All Bronze Construction - Brass - 6" Dia. | 874058-049 |
| IMPELLER - 1060 1 1/2D - Standard Bronze Fitted & All Bronze Construction - Brass - 5 1/2" Dia. | 874058-053 |
| IMPELLER - 1060 1 1/2D - Standard Bronze Fitted & All Bronze Construction - Brass - 5" Dia. | 874058-057 |
| IMPELLER - 1060 1 1/2D - All Iron Construction - Cast Iron - 7" Dia. | 874058-011 |
| IMPELLER - 1060 1 1/2D - All Iron Construction - Cast Iron - 6 1/2" Dia. | 874058-015 |
| IMPELLER - 1060 1 1/2D - All Iron Construction - Cast Iron - 6" Dia. | 874058-019 |
| IMPELLER - 1060 1 1/2D - All Iron Construction - Cast Iron - 5 1/2" Dia. | 874058-023 |
| IMPELLER - 1060 1 1/2D - All Iron Construction - Cast Iron - 5" Dia. | 874058-027 |
| IMPELLER - 1060 2D - Standard Bronze Fitted & All Bronze Construction - Brass - 7" Dia. | 816393-041 |
| IMPELLER - 1060 2D - Standard Bronze Fitted & All Bronze Construction - Brass - 6 1/2" Dia. | 816393-045 |
| IMPELLER - 1060 2D - Standard Bronze Fitted & All Bronze Construction - Brass - 6" Dia. | 816393-049 |
| IMPELLER - 1060 2D - Standard Bronze Fitted & All Bronze Construction - Brass - 5 1/2" Dia. | 816393-053 |
| IMPELLER - 1060 2D - Standard Bronze Fitted & All Bronze Construction - Brass - 5" Dia. | 816393-057 |
| IMPELLER - 1060 2D - All Iron Construction - Cast Iron - 7" Dia. | 816393-011 |
| IMPELLER - 1060 2D - All Iron Construction - Cast Iron - 6 1/2" Dia. | 816393-015 |
| IMPELLER - 1060 2D - All Iron Construction - Cast Iron - 6" Dia. | 816393-019 |
| IMPELLER - 1060 2D - All Iron Construction - Cast Iron - 5 1/2" Dia. | 816393-023 |
| IMPELLER - 1060 2D - All Iron Construction - Cast Iron - 5" Dia. | 816393-027 |
| IMPELLER - 1060 3D - Standard Bronze Fitted & All Bronze Construction - Brass - 7" Dia. | 816647-041 |
| IMPELLER - 106032D - Standard Bronze Fitted & All Bronze Construction - Brass - 6 1/2" Dia. | 816647-045 |
| IMPELLER - 1060 3D - Standard Bronze Fitted & All Bronze Construction - Brass - 6" Dia. | 816647-049 |
| IMPELLER - 1060 3D - Standard Bronze Fitted & All Bronze Construction - Brass - 5 1/2" Dia. | 816647-053 |
| IMPELLER - 1060 3D - Standard Bronze Fitted & All Bronze Construction - Brass - 5" Dia. | 816647-057 |
| IMPELLER - 1060 3D - All Iron Construction - Cast Iron - 7" Dia. | 816647-011 |
| IMPELLER - 1060 3D - All Iron Construction - Cast Iron - 6 1/2" Dia. | 816647-015 |
| IMPELLER - 1060 3D - All Iron Construction - Cast Iron - 6" Dia. | 816647-019 |
| IMPELLER - 1060 3D - All Iron Construction - Cast Iron - 5 1/2" Dia. | 816647-023 |
| IMPELLER - 1060 3D - All Iron Construction - Cast Iron - 5" Dia. | 816647-027 |

MECHANICAL SEAL ASSEMBLY KITS

| SIZE AND/OR USED ON | PART NUMBER |
|--|-------------|
| 1/2" Buna - S25 TO S57, H32 TO H54, 1050 1B, 1 1/4B, 1 1/2B, 2B - Std., B.F. & A.B. - Std. Temp. to 225F | 816706-021 |
| 1/2" Viton - S25 TO S57, H32 TO H54, 1050 1B, 1 1/4B, 1 1/2B, 2B Std., B.F. & A.B. - High Temp. 225F to 275F | 816706-023 |
| 5/8" Buna - S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - Std., B.F. & A.B. Const. - Std. Temp. to 225F | 816707-001 |
| 5/8" Buna - S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - All Iron Const. - Std. Temp. to 225F | 816707-002 |
| 5/8" Viton - S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - Std., B.F. & A.B. Const. - High Temp. to 275F | 816707-003 |
| 5/8" Viton - S69, H63, H64, H65, H66, H67, H68, 1060 1 1/2D, 2D & 3D - All Iron Const. - High Temp. to 275F | 816707-004 |

MOUNTED MOTOR ASSEMBLY

RESILIENT MOUNT MOTORS

| SIZE AND/OR USED ON | PART NUMBER |
|--|-------------|
| 1PH/1/12HP/115V - S25 | 805316-010 |
| 1PH/1HP/115V/230 - S 69, H 65, H 67, 1060 1 1/2D & 2D | 811757-007 |
| 1PH/1/4HP/115V - H51, 1050 1B, 1 1/4B, 1 1/2B & 2B | 816141-001 |
| 1PH/1/3HP/115V - H52, 1050 1B, 1 1/4B, 1 1/2B & 2B | 816141-002 |
| 1PH/1/6HP/115V - S-34, S-35, H-32, H41, 1050 1B, 1 1/4B & 1 1/2B | 817025-001 |
| 1PH/1/2HP/115/230V - 1050 1 1/4B & 2B, S57, H54, H64, H66 1060 1 1/2D & 2D | 811757-001 |
| 1PH/3/4HP/115/230V - 1050 1 1/2B & 2B, S57, H54, H64, H66 1060 1 1/2D & 2D | 811757-002 |
| 1PH/1/4HP/115V - S45 | 817025-007 |
| 1PH/1/3HP/115V - S46 | 817025-013 |

RIGID MOUNT MOTORS

| SIZE AND/OR USED ON | PART NUMBER |
|--|-------------|
| 3PH/1/2HP/575V -1050 1 1/4B, 1 1/2B & 2B, S55, H53, H63, 1060 1 1/2D & 2D | 811757-004 |
| 3PH/3/4HP/575V - 1050 1 1/2B & 2B, S57, H54, H64, H66 1060 1 1/2D & 2D | 811757-006 |
| 3PH/1HP/575V - S69, H65, H67, 1050 2B & 1060 1 1/2D, 2D & 3D | 811757-009 |
| 1PH/1HP/115/230V - S69, H65, H67, 1050 2B & 1060 1 1/2D, 2D & 3D | 816676-062 |
| 3PH/1HP/208/230/460V - S69, H65, H67, 1050 2B & 1060 1 1/2D, 2D & 3D | 816676-069 |
| 1PH/1 1/2HP/115/230V - H68, 1060 1 1/2D, 2D & 3D | 816678-062 |
| 3PH/1 1/2HP/208/230/460V - H68, 1060 1 1/2D, 2D & 3D | 816678-069 |
| 3PH/2HP/208/230/460V - 1060 2D & 3D | 816681-069 |
| 3PH/1 1/2HP/575V - H68, 1060 1 1/2D, 2D & 3D | 816685-068 |
| 3PH/2HP/575V - 1060 2D & 3D | 816686-068 |
| 3PH/3HP/575V - 1060 3D | 816687-068 |
| 3PH/3HP/208/230/460V - 1060 3D | 816711-069 |
| 3PH/1/3HP/208/230/460V - H52 & 1050 1B | 830590-083 |
| 3PH/1/4HP/208/230/460V - H51 & 1050 1B | 830781-083 |
| 1PH 1/2HP/115/230 - 1050 1 1/4B, 1 1/2B & 2B, S55, H53, H63, 1060 1 1/2D & 2D | 831009-062 |
| 1PH/3/4HP/115/230V - 1050 1 1/2B & 2B, S57, H54, H64, H66 1060 1 1/2D & 2D | 831010-062 |
| 3PH/1/2HP/208/230/460V - 1050 1 1/4B, 1 1/2B & 2B, S55, H53, H63, 1060 1 1/2D & 2D | 831011-083 |
| 3PH/3/4HP/208/230/460V - 1050 1 1/2B & 2B, S57, H54, H64, H66 1060 1 1/2D & 2D | 831012-083 |

SHAFT AND BEARING MODULE

| SIZE AND/OR USED ON | PART NUMBER |
|--|-------------|
| 1/2" Buna - S25 TO S57, H32 TO H54, 1050 1B, 1 1/4B, 1 1/2B, 2B - Std., B.F. & A.B. - Std. Temp. to 225F | 816999-041 |